


KENSTON
WINDOWS INC.

PRODUCT CATALOGUE
2026

WINDOWS · PATIO DOORS · ENTRANCE DOORS

Windows & Doors

Tilt-turn windows, lift-and-slide, sliding and folding patio doors and aluminium entrance doors built on proven European profile systems — supplied and installed across Southern Ontario.

UPVC · ALUMINIUM · STEEL-LOOK · ENTRANCE DOORS

KENSTONWINDOWS.COM

Tilt-turn windows

Kenston Tilt-Turn Series uPVC windows, with or without a centre seal, in white, RAL colours or wood-like laminates.



Floor-to-ceiling glazing
Large window walls with slim, highly insulated frames



Aluminium cladding
uPVC inside, colour-matched aluminium outside





0.75 W/m²K
Uw · Kenston Tilt-Turn 88 Passive
88 mm, 7 chambers, 3 gaskets

0.78 W/m²K
Uw · Kenston Tilt-Turn 76 Plus
76 mm, 6 chambers, centre seal


26–56 mm
Glazing range in the frame
Tilt-Turn 88 Passive · double or triple

40% +
Recycled content
Kenston Eco uPVC profile

Kenston Tilt-Turn Series: 70 Standard (Uw 1.3) · 76 Classic (0.81) · 76 Classic Alu-Clad (0.82) · 76 Plus (0.78) · 76 Plus Alu-Clad (0.79) · 88 Passive (0.75). Uw in W/m²K for a 1230 × 1480 mm reference window. Centre-gasket versions reach passive house standard.

Large-format tilt-turn

Kenston Aluminium Tilt-Turn and Steel-Look Series for big openings, slim sightlines and high security.



Loft-style window walls
Tall, slim-profile glazing for modern and heritage designs



Kenston Steel-Look Series
Steel look · glass up to 55 mm



Commercial façades
Kenston aluminium systems



Kenston Aluminium Tilt-Turn 75 / 90

Series 75: Uf from 0.92 W/m²K, up to RC3, vents to 1700 × 2100 mm and 200 kg. Series 90: passive-house certified, Uw 0.8 W/m²K.

Kenston Thermal Aluminium range

Profile depths from 45 to 104 mm with additional insulating dividers for very good Uf values.

Concealed hardware

Optional concealed mechatronic fitting that automates the window.

0.71 W/m²K
Uf from · Aluminium Tilt-Turn 90

Rw 53 dB
Sound reduction · Kenston Acoustic Series

21.5 mm
Min. vent sightline · Steel-Look Series

RC3
Burglar resistance up to · Series 75

Panorama sliding

Kenston Panorama Sliding Door: a highly insulated minimal-frame slider for homes and large projects flooded with light.




Kenston Panorama Sliding Door
Glass walls that slide open to the terrace



Panorama sliding
Manual or mechatronic





Inside meets outside
Large sliding panels to the deck



Slim interlock
Minimal sightlines to the view

3200 × 3500 Max. vent W × H, mm	**500** kg Max. vent weight	**1.0** W/m²K Uw from (EN 10077)	**2–3** Tracks · 77 mm vent depth	**RC2** Security class (EN 1627)

Lift-slide & minimal sliding

Floor-to-ceiling glass with frames built into the walls, zero thresholds and motorised sashes for the largest panels.



Kenston Frameless Slider
Floor-to-ceiling minimal slider



Zero threshold
As standard

4000 mm
Max. element height


750 kg
Max. motorised vent

8–10 mm
Visible vent width

1200 kg
Max. fixed pane



Open or glass corners
Frameless Slider · triple glazing 52.5–54.5 mm



Sliding patio walls
Aluminium sliding systems

Kenston Lift-and-Slide 60 / 80
Lift-and-slide and slide system · 13 opening types · ground-level threshold

3500 × 3500
Max. vent W × H, mm

600 kg
Max. vent weight (500 kg motorised)

0.99 W/m²K
Uw from · Lift-and-Slide 80

1–3
Tracks · RC2 security

Folding & patio doors

Open the whole wall: folding systems that move left, right, inward or outward, plus uPVC sliders with optional aluminium cladding.



Kenston Bi-Fold Door
Thermally insulated folding system



Fold left, right, in or out
Flush threshold option



Steel systems
Slim frames, large glazed elements



Sliding patio door
Sliding insect screen option

Kenston Bi-Fold Door

Face widths from 120 mm · glazing 6–45 mm · watertightness up to class 9A · turn/tilt vent option · RC2.

1200 × 3000
Max. vent W × H, mm · 100 kg

70 mm
Vent depth · Uw from 2.4 W/m²K

Kenston Patio Slider 76

Barrier-free uPVC slider · 179 mm depth · glazing 24–50 mm · U 0.79 W/m²K. Alu-clad version available.

Kenston Patio Slider 76 Slim


158 mm depth (163 mm alu-clad) · 7-chamber frame · glazing 24–50 mm · reduced sash profiles for big glazed areas.

Kenston Aluminium Sliders

Sliding and folding aluminium doors, customisable for demanding projects, with open corners, flyscreens and motorised options.

Entrance doors

Kenston Signature Entrance Doors with decorative infill panels, in any RAL colour or woodgrain finish.



Kenston Signature Entrance Door
With side screens and overlight



Kenston Design Panels
Aluminium series













Kenston Design Panels
Natural series





Keyless entry
Fingerprint or keypad

0.79
Ud from, W/m²K
Signature 86

0.54
Ud from, W/m²K
Signature 104 Passive

- PUR foam core · warm threshold
- Leaf to 1110 × 2260 mm
- Multi-point and motor locks
- Stone, concrete, ceramic panels

OPTIONS

Glass, colour & hardware

Finish every opening to suit the house: glazing, frame colours inside and out, and concealed or designer hardware.



Woodgrain finishes
uPVC and aluminium



Wood-like laminates
Outside only, or both sides



Natural stone
Kenston Design Panels



Any RAL colour
Smooth or structural

Glazing

- Double and triple insulated glazing on windows, doors and sliders
- Glass up to 58 mm (Aluminium Tilt-Turn 90) · 55 mm (Steel-Look Series)
- Sound insulation up to Rw 53 dB (Kenston Acoustic Series)

Frame finishes

- uPVC: white, wood-like laminates, plain or metallic colours
- Aluminium: any RAL colour, smooth or structural; woodgrain
- Different finishes inside and outside; aluminium cladding

DECORATIVE & SOLAR GLASS

Satin-etched | Mirror | Sand-etched | Patterned squares | Patterned lines | Textured obscure | Solar-control tint | Black lacquered

POPULAR RAL COLOURS

RAL 9016 Traffic white	RAL 9010 Pure white	RAL 9001 Cream	RAL 7001 Silver grey	RAL 7016 Anthracite grey	RAL 7021 Black grey	RAL 9005 Jet black	RAL 8017 Chocolate brown


Printed swatches are approximate; confirm with a physical sample. Any RAL colour can be ordered.



Window handles
Inox, anodised, RAL 9005 / 9010 / 9016



Triple glazing
Insulated profile cross-section



Hinges
Surface, roller or concealed



Keyless entry
Fingerprint or keypad

KENSTON WINDOWS INC.

Why Kenston

A supplier and installer of windows and doors for builders, contractors and homeowners across Southern Ontario.



From single replacements to complete packages
uPVC, aluminium and steel-look systems for residential and commercial work

UPVC WINDOWS

Kenston Tilt-Turn Series

70, 76 and 88 mm profiles with up to 7 chambers and triple glazing; Uw down to 0.75 W/m²K. Alu-clad options.

ALUMINIUM WINDOWS

Kenston Aluminium Tilt-Turn

Series 75 and 90 for large openings, RC3 security and passive-house performance.

STEEL-LOOK

Kenston Steel-Look Series

Slim, industrial sightlines for loft and heritage projects, glazing up to 55 mm.

SLIDING

Kenston Panorama Sliding Door

Minimal-frame glass walls with vents to 3200 × 3500 mm and 500 kg, manual or motorised.

LIFT-AND-SLIDE

Kenston Lift-and-Slide

Ground-level thresholds, 13 opening types and vents to 600 kg. Plus the Kenston Frameless Slider.

FOLDING & PATIO

Kenston Bi-Fold & Patio Sliders

Fold left, right, in or out, plus barrier-free uPVC patio sliders with alu-clad options.

ENTRANCE DOORS

Kenston Signature Doors

Insulated aluminium doors with Ud from 0.54 W/m²K and Kenston Design Panels in stone, concrete or ceramic.

FINISHES

Colour & hardware

Any RAL colour, woodgrain laminates, decorative glass, concealed hinges and keyless entry.

SERVICE

Supply & installation

Quotes, measuring, delivery and professional installation across Southern Ontario.



KENSTON WINDOWS INC.

SUPPLY · INSTALLATION · SOUTHERN ONTARIO

Let’s talk about your project

Quotes, product selection and installation for builders, contractors and homeowners.

CALL
226-919-9372

EMAIL
quotes@kenstonwindows.com

kenstonwindows.com

Specifications may change; final performance depends on configuration, size and glazing. Images are representative.